



Max Floor

Madera



Anti-bacteria



Fireproof



Easy Installation



Anti-slip



Easy to Clean



Formaldehyde Free



Sound Insulation



100% Water Proof



Stable to Heat & Sunlight



Perfect for Every Room



Kid and Pet Friendly



Suitable for Underfloor Heating

Size: 225mm x 1800mm x 7.0mm
Wear Layer: 0.5mm



Max Floor Madera Poplar
225x1800mm



Max Floor Madera Alder
225x1800mm




Max Floor Madera Oak
225x1800mm



Max Floor Madera Teak
225x1800mm

Max Floor

Madera



Product Item	
Material	Premium Stone-Based Flooring (SPC)
Size	225mm x 1800mm x 7.0mm
Thickness	7.0mm
Wear Layer	0.5mm
Comfort and Sound Underlay	1mm IXPE

Properties	Test Results	Classification
Wear Resistance (method A)	4,200 Cycles	34
Wear Resistance (method B)	>7,000 Cycles	
Micro-Scratch Resistance	MSR-A2; MSR-B1	
Castor Chair Resistance	25,000 Cycles	
Effect of Furniture Leg	No Visible Damage	
Residual Indentation	0.03	
Stain Resistance	Pass	
Swelling	Pass	
Locking Strength	Pass	
Dimensional Stability	Pass	

Size: 225mm x 1800mm x 7.0mm

Wear Layer: 0.5mm



UNICLIC

